
The NIST Smart Flow System: Integrating Intelligent Systems



NIST Information Access Division

May 1, 2001


Vincent.Stanford@NIST.Gov













Pervasive Computing Requires Broad Technological Advances

Dynamic Networking Advanced Interfaces

<u>Problem</u>: Industrial and academic technology base fragmented

NIST Pervasive Computing Role


Test Beds



Reference Data & Metrics



Interoperability, conformance, & performance tests



Pervasive
Computing
Environment

Pervasive Devices Information Access

Solution: Standard Measurement, interoperability, & reference data

Just A Sample of Related Efforts:

Industry Labs:

Anderson Consulting: Active environments **C5 Corporation**: Adaptive Learning Smart Space

HP Research: Sensor-based computer interfaces; Appliances and Media Systems

IBM Research: Pervasive Computing; Natural

Interactivity

Intel: OPEN CV; Home RF Working Group

Microsoft Research: Intelligent

Environments; Easy Living

Motorola: Human Interface Laboratory

SUN Microsystems: Java/Jini; Advanced

Computer Interfaces

Xerox FX Pal: Smart Media Spaces

SRI: Mediated Spaces

... More too numerous to mention

These focus on component technologies - NIST focuses on interoperability, integration, testing, and standards.

Academic Labs:

Intelligent Environments

CMU: Pervasive invisible computing; Automated surveillance; Multi-modal perceptual interfaces Georgia Tech: eClass; Aware home; Future Computing Environment group Indiana University: Pervasive Computing Research (IPCRES)

MIT: House of the Future; Intelligent Room; Media Laboratory Gesture and Narrative Language Croup; Things That Think; Oxygen; Kids Room; Smart Desks; Smart Room specialized for Business environment; Wearable Computing Rutgers CAIP: DISCIPLE; Multimedia Information Systems Laboratory; Microphone Arrays; Multi-modal User Interaction Stanford: Interactive Workspaces; Responsive Workbench; Project Archimedes University of California: Profollower; User Interface Research; Audio Video Interface for

Venture Capital Conference

"Ten Pervasive Computing Companies Named "Investors' Choice" at Technologic Partners' Technology Outlook Conference.

SAN FRANCISCO, December 5, 2000—Technologic Partners announced today ... in San Francisco the ten private pervasive computing companies judged most likely to succeed. "In recent months mobile and pervasive computing has been an explosive market segment, and these companies demonstrate exceptional promise," said Richard A. Shaffer, principal of Technologic Partners.

2Wire provides technology for in-home broadband networks.

AlterEgo Networks infrastructure for wireless web content.

Atheros Communications - standards-based, wireless technology.

Entropia -Distributed computing technologies.

MobileAria Hands-free mobile Internet service platform for automobiles.

PacketVideo - Video and audio on wireless networks.

Silicon Wave - Semiconductor products and silicon tuners.

Tresidder - Mobile marketing and commerce on wireless devices.

United Devices - Distributed computing technologies.

<u>ViaFone</u> - Interactive mobile applications for businesses."

Web Search Engine shows over a Million Hits

(Source: Google March 2001)

- Smart Space 778,000
- Bluetooth 436,000
- Pervasive/Ubiquitous Computing 220,000
- Jini 193,00
- **802.11 125,300**
- UPnP 100,000
- **Dynamic Device Discovery 76,600**
- Home RF 13,700

NIST Pervasive Computing Identify and Enhance

- Key Technologies:
 - Pervasive devices:
 - Wireless protocols
 - Device Discovery
 - Service Discovery
 - Interoperability
 - Data interface and transport
 - Sensor data transport
 - Data flow standardization
 - Advanced interfaces:
 - Speech
 - Speakers
 - Faces
 - Gestures
 - Biometrics

Key partners:

- Industry:
 - Smart Space: BBN/GTE, FX/PAL, HP, IBM, Kaiser Permanente, Bell South, SRI
 - Wireless: Sun, Microsoft, Bluetooth SIG with Ericsson, IBM, Intel,
- Government:
 - DARPA, NSF, FCC, DoD
- Academic Labs:
 - Rutgers CAIP Center; Georgia Tech; MIT AI Lab
- You?

NIST Role: NEUTRAL THIRD PARTY

"Pervasive Computing is in its infancy, requiring high risk technologies, from numerous laboratories and companies"

- Collecting common reference data for industry:
 - Sensor based interfaces
 - Data architecture/transport
 - Service Discovery
 - 2.4GHz compatibility
- Developing common metrics and test tools:
 - Metrics companies need, but cannot invest in
 - Data annotation systems
 - impartial evaluations of systems and components
 - conformance & interoperability tests

- Develop Modular test beds for pervasive technologies
 - Reference data set construction
 - functional evaluation:
 - Recognition components
 - Speech
 - Speakers
 - Faces
 - Gestures
 - Densely populated wireless pervasive environments
 - Wireless protocol interoperability testing
 - Provide unique infrastructure for data transport, interoperability, service/device discovery and testing

The NIST Smart Space Project is About Cooperation:

Data Acquisition Distributed Computing Resources

Technology - Smart Flow open source

Multi Modal Sensors Wireless Networking

- Metrics Array SNR algorithm
- Standards Smart Flow Data Interface
- Reference Data Acquisition Technology
- Testing Interoperability, and compatibility
- Partnerships Industrial and academic R&D laboratories

Technologies

Technology Development Companies Academic Research Laboratories

Government Research Agencies Technology Deploying Companies


Organizations

A Pervasive Computing Integration Challenge

- Meeting Room Test Bed That:
 - Takes minute and responds to commands, depending on who speaks, what they look at, or point to...
 - Accesses information for participants
 - Provides security based on participant biometrics
 - Supports Service and device discovery for pervasive computers


- This Can't Happen Without:
 - Cooperation By numerousR&D Labs
 - Interoperability Numerous devices must play together
 - SW/HW Integration Sensor arrays must deliver data to numerous recognition components
 - Advances in Interface
 Technologies that Sense,
 Recognize, Respond

Example: Smart Flow Integration Intel OpenCV - NIST Array



Meeting Room Project Data Collection

- NIST Smart Flow system enables multi-channel multimodal recording and archiving of meeting room corpora
- Four Camera Views
- 200+ Microphones
 - ADAT close-talk microphones
 - Three arrays
- Creation of meeting speech corpus
- Annotation of corpus
- Cooperative work with technology providers/users



Smart Space Test Bed

Camera Elements

Array


Large Screen Display **Equipment**


Room

Array

Beams

- Multi modal sensors:
 - Microphone arrays
 - Multiple Cameras/video capture
- Pervasive devices:
 - Lap tops
 - Palm tops
 - Tablets
- **Multiple wireless protocols:**
 - 802.11
 - **Bluetooth**
 - **Home RF**

















The NIST Smart Flow Interoperability Standard

- Multi modal sensor arrays
- Multi-channel data collection

- Large grain data flow, for distributed processing of sensor array data
- Components and flows used by name:
 - network transparent
 - component transparent
- The system handles detail work
 - resource searching
 - data pushing
 - flow visualization interface
 - Time Tags flow buffers
- Data types: Video, Audio, Vectors, Matrices, Opaque data
- Promotes well defined, public, interface standard for component technologies
- Open Source, documentation, currently downloadable



New York Times Reports on NIST Smart Flow Users with Mk-II Array

THE NEW YORK TIMES, THURSDAY, APRIL 5, 2001

'Smart' Home Eases Elder Care





The NIST Smart Flow System Presently Contains


- **Data flow server, text and graphical control centers**
- **■** Audio pipelines (fft, cepstral vectors)
- **■** Delay-and-sum, frost beam formers
- Acoustic source locator, voice/background threshold
- Intel OpenCV integration
- **IBM Via Voice smart flow interface**
- Audio capture and output, matrix, 64 channel audio, channel extractor, single channel audio, and vector input/output
- Novel SNR Metric
- MJPEG player and recorder, video capture and display
- LML H33 camera, IIADC 64 drivers for Linux

Smart Flow System Display Examples


- Flow Displays for fault isolation and diagnosis
 - Multi channel audio
 - Beam formed channel
 - Cepstral pipeline
 - Short time power spectra
 - Frequency direction map














Multicast in the Smart Flow system

- Requirement Bandwidth Conservation:
 - 1 to many architecture each sender may have many receivers
 - Need to save bandwidth for high volume flows
 - Microphone array produces 3 megabytes per second
- Solution IP Multicast:







Smart Space Test Bed Wireless Environment

- The NIST Smart Flow test bed2.4GHz wireless components:
 - Bluetooth
 - -802.11
 - Home RF
 - Range LAN
- Network RF component tests using Smart Space applications:
 - Concurrent applications for stress
 - Bluetooth RF level BER quality
 - Protocol conformance
 - Interoperability



96050 1231

January 8, 2001

Raft of New Wireless Technologies Could Lead to Airwaye Gridlock



By JARED SANDBERG -Staff Reporter of THE WALL STREET JOURNAL


"... Brace for mid-air collisions. The high-tech industry is hyping a raft of new ... Palm hand-held devices and other gadgets to the Internet and corporate networks, as well as to each other. ... But these technologies communicate in the increasingly crowded 2.4 gigahertz band of the radio spectrum, potentially clogging the airwayes..."

- The NIST Advanced Network Technology Division will use Smart Space test bed as a measurement lab for emerging wireless Technologies:
 - ANTD responsible for measuring tools from the physical point of view
 - IAD responsible for measuring technologies at signal, human interaction, and application levels

Discovery of Pervasive Device by Smart Space

Command Center


- Pervasive interface for meeting minutes:
 - Device discovery
 - Authentication
 - Data transfer
 - Transcribed text
- **Wireless Communications Tools** such as:
 - Proxim RangeLAN2 (2Mbit/s)
 - CISCO Aironet (11Mbit/s)
 - BlueTooth PCMCIA cards (2Mbs)
 - Intel Home RF
- **Communication Tool:**
 - Smart Flow Infrastructure
 - Device Discovery




Authentication

An SNR Metric for Speech In Noise How Much do Algorithms Help?

- We never get to see speech without noise
- Zero mean Gaussian Mixture components:
 - Background
 - Unvoiced speech
 - Voiced speech
- EM Estimation of Mixture, high speed open source tool available
- Example:
 - Single microphone SNR=9dB
 - Beam former SNR=21dB
 - 12dB improvement





What Have We Done So Far? Summary

- Developed and documented the NIST Smart Flow System (NSFS)
- Deployed Nist Smart Space Research Web Site
- All digital Mk-II array data acquisition and beam forming Systems
- Acoustic source locator based on beam former
- Integrated components:
 - IBM Speech Recognition
 - Intel OpenCV Face Recognition
 - Wireless networking components

- Multicast TCP/UDP data transmission to address bandwidth limitations for high data rate sensor arrays
- Opened cooperative efforts using NSFS Open Source with Premier R&D Laboratories:
 - Rutgers CAIP Center
 - MIT AI Laboratory
 - Georgia Tech Aware Home
 - Bell South
 - Kaiser Permanente Research
- Developed novel SNR measurement tool to evaluate speech SNR

What's Next? Summary

- Meeting Room:
 - Data gathering infrastructure
 - Some automatic annotation
- Integrate additional industrial technologies:
 - Speaker identification
 - Gesture recognition
 - Information retrieval
- Compatibility/performance testing of 2.4GHz band wireless protocols:
 - -802.11
 - Bluetooth
 - Range LAN
 - Home RF

- Expand the Industrial Partners group
- Deploy Smart Flow system to more R&D organizations, and improve it using open source model
- Move towards establishing Smart Flow system interoperability standards working group
- Integrate more technologies and provide multi modal, multi sensor reference data, and compatibility tests in cooperation with other NIST groups

The NIST Smart Space Project Summary

- Reduce barriers to R&D entry:
 - Reference implementation of Smart Flow saves man years at startup
 - Common open source base components:
 - Data acquisition
 - Audio
 - Video
 - Data Archiving
 - Signal processing
 - Beam forming
 - Performance metrics

- Create entrepreneurial opportunity:
 - Standardized data transport layer allows cooperative development projects
 - Interfaces to other industrial components can allow new combinations of technologies, sensor fusion and recognition technologies.
- Vincent.Stanford@NIST.Gov